

1957 Triumph TR3	
Year	1957
Make	Triumph
Model	TR3
Engine Location	Front
Drive Type	Rear Wheel
Body Material	Steel body on steel frame
Production Years for Series	1955-1957
Price	\$2,630.00
Weight	2100 lbs 952.6 kg
MPG City	26
MPG Highway	35

Performance	
0-60 mph	12.5 seconds.
1/4 Mile	18.95 seconds.
Top Speed	102 mph 164.1 km/h

Engine	
Engine Configuration	I
Cylinders	4
	Solid valve lifters
Aspiration/Induction	Normal
Displacement	1991.00 cc 121.5 cu in. 2 L.
Valvetrain	OHV
Horsepower	95.00 BHP (69.9 KW) @ 4800.00 RPM
Torque	117.00 Ft-Lbs (158.7 NM) @ 3000.00 RPM
HP to Weight Ratio	22.1 LB / HP
HP / Liter	47.5 BHP / Liter
Bore	3.27 in 83.1 mm.
Stroke	3.62 in 91.9 mm.
Compression Ratio	8.5:1
Main Bearings	3
Fuel Type	Gasoline - Petrol
Fuel Feed	2 SU Carburetor
Block	Cast-iron

Standard Transmission	
Gears	4
Transmission	Manual
Final Drive	3.7:1

Dimensions	
Seating Capacity	2
Doors	2

Exterior	
Length	151.001 in 3835.4 mm.
Width	55.501 in 1409.7 mm.
Height	50.001 in 1270 mm.
Wheelbase	88.001 in 2235.2 mm.
Front Track	45.001 in 1143 mm.
Rear Track	45.501 in 1155.7 mm.

Suspension	
Suspension	Front : Unequal-length A-arms with coil springs Rear : Rigid axle with semi-elliptic leaf springs

Steering	
	Cam and Lever

Tires / Wheels	
Tires	5.50x15