

1958 Triumph TR3A	
Year	1958
Make	Triumph
Model	TR3A
Engine Location	Front
Drive Type	Rear Wheel
Body Material	Steel body on steel frame
Production Years for Series	1957-1962
Price	\$2,840.00
Weight	2020 lbs   916.3 kg

Performance	
0-60 mph	12.55 seconds.
Top Speed	102 mph   164.1 km/h

Engine	
Engine Configuration	I
Cylinders	4
	Solid valve lifters
Aspiration/Induction	Normal
Displacement	1991.00 cc   121.5 cu in.   2 L.
Valvetrain	OHV
Horsepower	100.00 BHP (73.6 KW) @ 5000.00 RPM
Torque	117.00 Ft-Lbs (158.7 NM) @ 3000.00 RPM
HP to Weight Ratio	20.2 LB / HP
HP / Liter	50.0 BHP / Liter
Bore	3.27 in   83.1 mm.
Stroke	3.62 in   91.9 mm.
Compression Ratio	8.5:1
Main Bearings	3
Fuel Type	Gasoline - Petrol
Fuel Feed	2 SU Carburetor

Standard Transmission	
Gears	4
Transmission	Manual

Dimensions	
Seating Capacity	2
Doors	2
<b>Exterior</b>	
Length	151.001 in   3835.4 mm.
Width	55.501 in   1409.7 mm.
Height	50.001 in   1270 mm.
Wheelbase	88.001 in   2235.2 mm.
Front Track	45.001 in   1143 mm.

Rear Track	45.501 in   1155.7 mm.
------------	------------------------

## Suspension

Suspension	Front : Unequal-length A-arms with coil springs Rear : Rigid axle with semi-elliptic leaf springs
------------	--

## Steering

	Cam and Lever
--	---------------

## Tires / Wheels

Tires	5.50x15
-------	---------